

Page 1 of 11

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 15.02.2023 / 0002

Replacing version dated / version: 17.03.2022 / 0001

Valid from: 15.02.2023 PDF print date: 15.02.2023

Cylinder

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Cylinder

Carbon dioxide

Registration number (ECHA): --

Index: ---

EINECS, ELINCS, NLP, REACH-IT List-No.: 204-696-9

CAS: 124-38-9

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Test gas

Uses advised against:

No information available at present.

1.3 Details of the supplier of the safety data sheet

Œ

SodaTaste GmbH Andreas Jahn Im Grund 3 99897 Tambach-Dietharz

Tel.: 036252 460860 Fax: 036252 46068 info@sodataste.com www.sodataste.com

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number

Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

During business hours (Monday to Friday 9 am to 5 pm), Phone number: 036252460793 & 03625246064

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

Hazard class Hazard category Hazard statement

Press. Gas (Liq.) H280-Contains gas under pressure, may explode if

heated.

2.2 Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)



Page 2 of 11

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 15.02.2023 / 0002

Replacing version dated / version: 17.03.2022 / 0001

Valid from: 15.02.2023 PDF print date: 15.02.2023

Cylinder



Carbon dioxide

CAS: 124-38-9, Index:---

Warning

H280-Contains gas under pressure, may explode if heated.

P102-Keep out of reach of children.

P410+P403-Protect from sunlight. Store in a well-ventilated place.

2.3 Other hazards

No vPvB substance

No PBT substance

No substance with endocrine disrupting properties.

Suffocating effect.

Victim does not notice suffocation.

Liquid projections or spray may cause frostbite.

SECTION 3: Composition/information on ingredients

3.1 Substances

Carbon dioxide	Substance for which an EU exposure limit value applies.
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	204-696-9
CAS	124-38-9
content %	
Classification according to Regulation (EC) 1272/2008 (CLP), M-	
factors	

3.2 Mixtures

n.a

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation



(GB)

Page 3 of 11

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 15.02.2023 / 0002

Replacing version dated / version: 17.03.2022 / 0001

Valid from: 15.02.2023 PDF print date: 15.02.2023

Cylinder

Remove person from danger area.

Carry along an escape apparatus (self-contained breathing apparatus).

Supply person with fresh air and consult doctor according to symptoms.

If the person is unconscious, place in a stable side position and consult a doctor.

Respiratory arrest - Artificial respiration apparatus necessary.

Skin contact

Wash in water.

Cover frostbite aseptically.

Medical attention necessary.

Eve contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Typically no exposure pathway.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

Headaches

nausea

vomiting

At high concentrations:

Circulatory disorders

Suffocating effect.

Unconsciousness

respiratory distress

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media

Water mist

Water jet spray

Unsuitable extinguishing media

High volume water jet

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Toxic gases

Danger of bursting (explosion) when heated

5.3 Advice for firefighters

For personal protective equipment see Section 8.

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary.

Cool container at risk with water.

Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination. Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.



Page 4 of 11

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 15.02.2023 / 0002

Replacing version dated / version: 17.03.2022 / 0001

Valid from: 15.02.2023 PDF print date: 15.02.2023

Cylinder

If air supply is not sufficient, wear protective breathing apparatus.

6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

6.2 Environmental precautions

Prevent penetration into drains, cellars, working pits or other places in which accumulation could be hazardous.

Attempt to stop the escape of the gas.

6.3 Methods and material for containment and cleaning up

If spray or gas escapes, ensure ample fresh air is available.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Nur erfahrene und entsprechend geschulte Personen sollten unter Druck befindliche Gase handhaben.

Ensure good ventilation.

Do not breathe gas.

Prevent reverse flow into the gas container.

Prevent penetration of water into the gas container.

Open valves slowly to avoid pressure surges.

Only use equipment that is suitable for this product and the intended pressure and temperature.

Stellen Sie sicher, dass das gesamte Gassystem vor dem Gebrauch (und danach regelmäßig) auf Lecks geprüft wurde (wird).

Versuchen Sie nie, Ventile oder Sicherheitsdruckentlastungseinrichtungen am Behälter zu reparieren.

Ventilanschlüsse des Behälters sauber und frei von Verunreinigungen halten, insbesondere frei von Öl und Wasser.

Setzen Sie die Verschlusskappen oder -muttern und die Ventilschutzkappe wieder auf, sobald der Behälter von der Anlage getrennt wird.

Das Ventil des Behälters nach jedem Gebrauch und nach der Entleerung schließen, auch wenn er noch immer angeschlossen ist. Ventilschutzkappe nicht entfernen bevor die Flasche an eine Wand oder einen Labortisch oder auf einen Flaschenständer gestellt wurde und zum Gebrauch bereit ist.

Gasflaschen vor mechanischer Beschädigung schützen, nicht ziehen, nicht rollen, nicht schieben, nicht fallen lassen.

Für den Transport von Gasflaschen, selbst auf kurzen Strecken, immer einen Flaschenwagen oder anderen geeigneten Handwagen benutzen.

Versuchen Sie nicht, das Gas von einer Gasflasche oder Behälter in einen anderen umzufüllen.

Benutzen Sie nie Flammen oder elektrische Heizgeräte zur Druckerhöhung im Behälter.

Falls der Benutzer irgendwelche Schwierigkeiten bei der Bedienung des Flaschenventils bemerkt, den Gebrauch unterbrechen und Kontakt mit dem Lieferanten aufnehmen.

Beschädigungen an diesen Einrichtungen müssen umgehend dem Lieferanten mitgeteilt werden.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

Use working methods according to operating instructions.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals.

Not to be stored in gangways or stair wells.

Store product closed and only in original packing.

Observe special regulations for gases.

Ein Ventilschutzring sollte vorhanden sein oder die Ventilschutzkappe angebracht sein.

Gelagerte Flaschen sollten regelmäßig auf Leckagen und korrekte Lagerbedingungen geprüft werden.

Keep protected from direct sunlight and temperatures over 50°C.

Store in a well-ventilated place.

Safeguard cylinders against accidents.

Store upright.

7.3 Specific end use(s)



(B)

Page 5 of 11

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 15.02.2023 / 0002

Replacing version dated / version: 17.03.2022 / 0001

Valid from: 15.02.2023 PDF print date: 15.02.2023

Cylinder

No information available at present.

Observe the instructions for good working practice and the recommendations for risk assessment.

Consult hazardous substance information systems, e.g. from the professional associations, the chemical industry or different industries,

depending on the application (building materials, wood, chemistry, laboratory, leather, metal).

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Chemical Name	Carbon dioxide	
WEL-TWA: 5000 ppm (9150 mg 5000 ppm (9000 mg/m3) (EU)	g/m3) (WEL), WEL-STEL: 15000 ppm (27400 mg/m3) (WEL)	
Monitoring procedures:	- Draeger - Carbon Dioxide 0,1%/a (CH 23 501) - Draeger - Carbon Dioxide 0,5%/a (CH 31 401) - Draeger - Carbon Dioxide 1%/a (CH 25 101) - Draeger - Carbon Dioxide 100/a (81 01 811) - Draeger - Carbon Dioxide 5%/A (CH 20 301) - Compur - KITA-126 B (549 475) - Compur - KITA-126 SA (549 467) - Compur - KITA-126 SB (548 816) - Compur - KITA-126 SF (549 491) - Compur - KITA-126 SG (550 210) - Compur - KITA-126 SH (549 509)	
	- Compur - KITA-126 UH (549 517) - NIOSH 6603 (Carbon dioxide) - 1994 - OSHA ID-172 (Carbon dioxide in workplace atmospheres) - 1990	
BMGV:	Other information:	

- WEL-TWA = Workplace Exposure Limit Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).
- (8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit Short-term exposure limit (15-minute reference period).
- (8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.
- ** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision. (13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

Pressurized systems should be checked regularly for leaks.

Use oxygen detectors if suffocation-inducing gases can be detected.

8.2.2 Individual protection measures, such as personal protective equipment



(GB)

Page 6 of 11

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 15.02.2023 / 0002

Replacing version dated / version: 17.03.2022 / 0001

Valid from: 15.02.2023 PDF print date: 15.02.2023

Cylinder

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work. Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

If there is a risk of contact with the eyes or while decanting: Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection:

Normally not necessary. According to operation.

Leather gloves.

Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection:

If air supply is not sufficient, wear protective breathing apparatus.

Protective respirator with independent air supply.

Observe wearing time limitations for respiratory protection equipment.

Thermal hazards:

Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state:

Colour:

Odour:

Odourless

Melting point/freezing point:

Boiling point or initial boiling point and boiling range:

Liquefied gas

Colourless

Odourless

-78,5 °C

-56,6 °C

Flammability:

Lower explosion limit:

Upper explosion limit:

There is no information available on this parameter.

There is no information available on this parameter.

There is no information available on this parameter.

Flash point: Does not apply to gases.

Auto-ignition temperature: There is no information available on this parameter.

Decomposition temperature: There is no information available on this parameter.

pH: Mixture is a gas.

Kinematic viscosity:

Solubility:

Partition coefficient n-octanol/water (log value):

Does not apply to gases.
2000 mg/l (Soluble)
0,83

Vapour pressure: 57,3 bar (20°C)

Density and/or relative density:

Does not apply to gases.

Relative vapour density:

There is no information available on this parameter.

Particle characteristics: Does not apply to gases.

9.2 Other information

Molar mass: 44 g/mol



Page 7 of 11

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 15.02.2023 / 0002

Replacing version dated / version: 17.03.2022 / 0001

Valid from: 15.02.2023 PDF print date: 15.02.2023

Cylinder

SECTION 10: Stability and reactivity

10.1 Reactivity

Not to be expected

10.2 Chemical stability

Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

No dangerous reactions are known.

10.4 Conditions to avoid

Heating

10.5 Incompatible materials

None known

10.6 Hazardous decomposition products

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

Carbon dioxide						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:						n.d.a.
Acute toxicity, by dermal						n.d.a.
route:						
Acute toxicity, by inhalation:						n.d.a.
Skin corrosion/irritation:						n.d.a.
Serious eye						n.d.a.
damage/irritation:						
Respiratory or skin						n.d.a.
sensitisation:						
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity -						n.d.a.
single exposure (STOT-SE):						
Specific target organ toxicity -						n.d.a.
repeated exposure (STOT-RE):						
Aspiration hazard:						n.d.a.
Symptoms:						unconsciousne
						s, blisters by
						skin-contact,
						vomiting,
						frostbite,
						annoyance,
						palpitations,
						itching,
						headaches,
						cramps, ear
						noises,
						dizziness

11.2. Information on other hazards

Carbon dioxide							
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes	
Endocrine disrupting						No	
properties:							



Page 8 of 11

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 15.02.2023 / 0002

Replacing version dated / version: 17.03.2022 / 0001

Valid from: 15.02.2023 PDF print date: 15.02.2023

Cylinder

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

Possibly more information	on on environm	ientai effec	s, see Sec	tion 2.1 (cla	issification).		
Carbon dioxide							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.5. Results of PBT							No PBT
and vPvB assessment							substance, No
							vPvB substance
12.1. Toxicity to fish:							n.d.a.
12.1. Toxicity to							n.d.a.
daphnia:							
12.1. Toxicity to fish:	LC50	96h	35	mg/l	Salmo gairdneri		
12.2. Persistence and							n.d.a.
degradability:							
12.3. Bioaccumulative							n.d.a.
potential:							
12.4. Mobility in soil:							n.d.a.
12.5. Results of PBT							n.d.a.
and vPvB assessment							
Other information:	Log Kow		0,83				
12.7. Other adverse							Greenhouse
effects:							effect
Global warming			1				
potential (GWP):							

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU)

16 05 05 gases in pressure containers other than those mentioned in 16 05 04

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

Can be released into the atmosphere at a well-ventilated location.

Das Ablassen großer Mengen in die Atmosphäre sollte vermieden werden.

For contaminated packing material

Pay attention to local and national official regulations.

Recommendation:

Return to manufacturer with residual pressure.

SECTION 14: Transport information

General statements

Transport by road/by rail (ADR/RID)

14.1. UN number or ID number:

14.2. UN proper shipping name: UN 1013 CARBON DIOXIDE

14.3. Transport hazard class(es): 2.2

14.4. Packing group:

14.5. Environmental hazards: Not applicable

Tunnel restriction code: C/E
Classification code: 2A
LQ: 120 ml





(B)

Page 9 of 11

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 15.02.2023 / 0002

Replacing version dated / version: 17.03.2022 / 0001

Valid from: 15.02.2023 PDF print date: 15.02.2023

Cylinder

Transport category: 3

Transport by sea (IMDG-code)

14.1. UN number or ID number:

14.2. UN proper shipping name: UN 1013 CARBON DIOXIDE

14.3. Transport hazard class(es): 2.2

14.4. Packing group:

14.5. Environmental hazards:Not applicableMarine Pollutant:Not applicableEmS:F-C, S-V

Transport by air (IATA)

14.1. UN number or ID number: 1013

14.2. UN proper shipping name:

UN 1013 Carbon dioxide

14.3. Transport hazard class(es): 2.2

14.4. Packing group:

14.5. Environmental hazards: Not applicable

14.6. Special precautions for user

Persons employed in transporting dangerous goods must be trained.

All persons involved in transporting must observe safety regulations.

Precautions must be taken to prevent damage.

14.7. Maritime transport in bulk according to IMO instruments

Freighted as packaged goods rather than in bulk, therefore not applicable.

Minimum amount regulations have not been taken into account.

Danger code and packing code on request.

Comply with special provisions.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

Comply with national regulations/laws governing the protection of young people at work (national implementation of the Directive 94/33/EC)!

Comply with trade association/occupational health regulations.

Directive 2010/75/EU (VOC): 0 %

National requirements/regulations on safety and health protection must be applied when using work equipment.

15.2 Chemical safety assessment

No chemical safety assessment was carried out.

SECTION 16: Other information

Revised sections:

7, 11, 12, 15

Employee training in handling dangerous goods is required.

These details refer to the product as it is delivered.

Employee instruction/training in handling hazardous materials is required.

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

Press. Gas (Liq.) — Gases under pressure-Liquefied gas

Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.

Guidelines for the preparation of safety data sheets as amended (ECHA).

Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).

Safety data sheets for the constituent substances.







Page 10 of 11

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 15.02.2023 / 0002

Replacing version dated / version: 17.03.2022 / 0001

Valid from: 15.02.2023 PDF print date: 15.02.2023

Cylinder

ECHA Homepage - Information about chemicals.

GESTIS Substance Database (Germany).

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).

EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831,

each as amended.

National Lists of Occupational Exposure Limits for each country as amended.

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

Any abbreviations and acronyms used in this document:

according, according to

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)

AOX Adsorbable organic halogen compounds

approximately approx. Article number Art., Art. no.

ASTM ASTM International (American Society for Testing and Materials)

ATE Acute Toxicity Estimate

BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)

BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)

BCF Bioconcentration factor

BSEF The International Bromine Council

body weight bw

Chemical Abstracts Service CAS

CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of

substances and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic

DMEL Derived Minimum Effect Level DNEL Derived No Effect Level DOC Dissolved organic carbon

dw drv weight

for example (abbreviation of Latin 'exempli gratia'), for instance e.a.

EbCx, EyCx, EbLx (x = 10, 50)Effect Concentration/Level of x % on reduction of the biomass (algae, plants)

European Community EC

ECHA European Chemicals Agency

ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect

EEC European Economic Community

European Inventory of Existing Commercial Chemical Substances **EINECS**

ELINCS European List of Notified Chemical Substances

ΕN **European Norms**

United States Environmental Protection Agency (United States of America) FPA

Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants) ErCx, $E\mu Cx$, ErLx (x = 10, 50)

etc. et cetera **European Union** FU

EVAL Ethylene-vinyl alcohol copolymer

Fax. Fax number general gen.

Globally Harmonized System of Classification and Labelling of Chemicals GHS

GWP Global warming potential

Adsorption coefficient of organic carbon in the soil Koc

octanol-water partition coefficient Kow

IARC International Agency for Research on Cancer

IATA International Air Transport Association

IBC (Code) International Bulk Chemical (Code)

IMDG-code International Maritime Code for Dangerous Goods

including, inclusive

IUCLIDInternational Uniform Chemical Information Database

IUPAC International Union for Pure Applied Chemistry

LC50 Lethal Concentration to 50 % of a test population

LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)



(GB)

Page 11 of 11

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 15.02.2023 / 0002

Replacing version dated / version: 17.03.2022 / 0001

Valid from: 15.02.2023 PDF print date: 15.02.2023

Cylinder

Log Koc Logarithm of adsorption coefficient of organic carbon in the soil

Log Kow, Log Pow Logarithm of octanol-water partition coefficient

LQ Limited Quantities

MARPOL International Convention for the Prevention of Marine Pollution from Ships

n.a. not applicable n.av. not available n.c. not checked n.d.a. no data available

NIOSHNational Institute for Occupational Safety and Health (USA)

NLP No-longer-Polymer

NOEC, NOEL No Observed Effect Concentration/Level

OECD Organisation for Economic Co-operation and Development

org. organic

OSHA Occupational Safety and Health Administration (USA)

PBT persistent, bioaccumulative and toxic

PE Polyethylene

PNEC Predicted No Effect Concentration

ppm parts per million PVC Polyvinylchloride

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)

REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via

REACH-IT.

RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)

SVHC Substances of Very High Concern

Tel. Telephone

TOC Total organic carbon

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

VOC Volatile organic compounds

vPvB very persistent and very bioaccumulative

wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by:

Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.